



askol[®]
innovative Schutzausrüstung

2022/2023

English



www.askoe-online.de



Unsere
starken
Marken:

DAS
ORIGINAL

PATRON®
by asko

PATRON® fire
by asko

BOXER®
by asko

**FIRE
KEEPER®**
by asko

asko®

PATRIOT®
by asko
Flame
Fighter

FIRE-FIGHTING GLOVES

General explanations	6
PATRON® fire	8
PATRON® REVOLUTION	10
PATRON® PBI	11
PATRON® fire ELK	12
PATRON® PBI ELK	13
FIRE KEEPER®	14
FIRE KEEPER® HEXAGON	16
FIRE KEEPER® EN PBI	17
FIRE KEEPER® PBI MATRIX	18
FIRE ACTION	20
FIRE ACTION ELCH	21
FIRE ACTION TOP	22
PATRIOT® Fireproof	23
PATRIOT® Flame Fighter	25
DEFENDER	26
NEW PRODUCTS	27
AUSTRALIAN STANDARDS AS/NZS	29

GLOVES & HELMETS FOR RESCUE & RECOVERY

Gloves for Rescue & Recovery	32
Training & Youth	38
Care instructions	42
Police, Military & Security	47
Fire Fighting Helmets	52

CUT PROTECTION & WORKWEAR

Cut Protection & Workwear	57
---------------------------	----

WORKING GLOVES

Full cowhide leather gloves	62
Nitrile / polyurethane - protective gloves	63

WORKWEAR

Workwear	64
Warning and wetness protective clothing	65
Welding protective clothing & disposable protection	66

WORKING SHOES

Cut Protection Boots, Safety Shoes / Boots	66
PVC-Safety Boots	66

VARIOUS

Accessories/ Individual clothing	67
Individual clothing	68
Size tables	69
Glove size template	70

Dear business partners,
Dear comrades in daily use,

the constantly growing demand for personal protective equipment (PPE) for fire departments, rescue services and special forces also means for us permanent adaptation and further development of our products. For some time now, it has no longer been just a matter of using high-tech materials to develop perfect quality products. Instead, the future lies in the balance between **material – sustainability – care – service – price/performance ratio.**

Exactly for this we deliver the results with the necessary innovations.

Look forward to being up to date with us on **proven, innovative, unique and sustainable,** whether in design, technology or material. All our products are regularly checked for the status of today and the suitability for the use of tomorrow.

Here we feel at home with a friendly and strong askö team.
We give safety a name: **askö**

Your Theo Maier with a top motivated team



DIN EN 659:2008

(EN 659+A1+AC:2009) for indoor fire-fighting

Under no circumstances must simple standard gloves made of leather be worn for indoor fire-fighting. During a fire the fire brigade personnel is exposed to more extreme thermal conditions. During indoor fire-fighting there is always a danger of the formation of darting flames or flashovers. New requirements have been included in the EN 659:2008 (EN 659+A1+AC:2009) norm: for example the shrinking of the leather and strength of the seams. Also of interest is the new point concerning the penetration of chemicals. Here the glove has to protect against the following chemicals:

- ▶ 30 percent sulphuric acid
- ▶ 40 percent sodium hydroxide
- ▶ 36 percent hydrochloric acid
- ▶ O-xylene

All models from our FIRE KEEPER®, PATRON® fire, PATRON® Pbi, PATRON® Fire Elk, FIRE KEEPER® Pbi, Patriot® and Fire Action brands have been tested and certified according to the latest EN 659 directive. This norm always includes EN 388, EN 407 and EN 420.



DIN EN 659:2008 (EN 659+A1+AC:2009)

EN 407



Protection against Heat and/or Fire

- 0-4 ▶ burning behaviour
- 0-4 ▶ contact heat
- 0-4 ▶ radiant heat
- 0-4 ▶ small splashes of molten metal
- 0-4 ▶ large quantities of liquid metal

EN 388



Protection against Mechanical Risks

- 0-4 ▶ abrasion resistance
- 0-5 ▶ cut resistance
- 0-4 ▶ tear resistant
- 0-4 ▶ puncture resistant

EN 420



General requirements for protective gloves

Production & Quality assurance

Whether it be grey goods, such as leather or Kevlar for special and standardised gloves, or face and lining fabrics for certified protective cut-resistant clothing, we draw on suppliers with whom we have been collaborating for many years, both at home and abroad. In this way, a continuously high quality of standard is assured at all times.

At all production sites in Europe and Asia where askö products are manufactured and processed, appropriate facilities are available in the form of special machinery and specialist workers with a high level of expertise and flexibility.

For all stages of manufacturing, starting from raw materials through to end products, whether manufactured in Germany in Europe or Asia, quality controls are required and carried out in the factories on an ongoing basis. We visit the production sites at regular intervals and all staff and those in charge of quality management are continually trained with a view to the latest requirements.

Working conditions under the aspect of "fairness" are regularly discussed also to ensure continuity of quality. Good exchange of information between members of AGKI (Association of Importers of Personal Protective Equipment) represents another assurance criterion in the area of quality management. Furthermore, there is regular monitoring by certification bodies.



For our gloves we use selected high-performance inserts (membranes) from famous brands such as Porelle and Hipora.

All climate membranes have the same basic function: they protect the body against moisture from outside and transport the perspiration from the inside to the outside using a temperature gradient. This provides our gloves with excellent comfort properties. All membranes consist of polyurethane or polyester. Due to our special processing guidelines the membranes are exceptionally hard-wearing, stretchable and extremely tear-proof. In order to provide a waterproof structure each individual seam is fused with a special heat-sealing band so that no water can penetrate the seals from the outside.



porelle®

Special sizes available upon request

Fire-Fighting Gloves | PATRON® Model Range



- ▶ The models of the PATRON® range stand out due to their wide variety and very broad field of application
- ▶ Tried and tested 100,000 times
- ▶ Today many models have DIN EN 659:2008 (EN 659+A1+AC:2009) certification: suitable for individuals wearing respiratory protection
- ▶ Fields of application: for use in direct fire-fighting (flashover, indoor fire-fighting) as well as rescue and recovery work and technical assistance within the meaning of DIN EN 659:2008 (EN 659+A1+Ac:2009)
- ▶ Perfect fit within the sizes and high degree of finger dexterity through selected leathers
- ▶ All models are available from size 6-12 (also size 13 on request)
- ▶ Special productions can also be made with a membrane



PATRON® FIRE

Art. 508 495-0

Inside hand, back hand: special nappa cowhide leather, heat-resistant, water-repellent, tanned to be shrink-optimised, special softness due to the selected greases

Internal lining: made of extremely close-meshed knitted material 100% aramid (Kevlar®)

Cuff: split cowhide, cuff end with nappa cowhide leather, adjustable strap with flap and Velcro® closure

Insert: HIPORA PU membrane, waterproof, windproof, breathable

Applications: reflective strip silver on cuff 50 mm, red snap hook, label „PATRON® by askö“ and „DAS ORIGINAL“ on end of cuff

Length: approx. 37 cm



*same variety delivery can not be guaranteed in the trans-itional period



PATRON® FIRE with short cuff

Art. 508 496-0

Length: approx. 32 cm



PATRON® FIRE with knitted cuff

Art. 508 500-0

Knitted cuff: 97% aramid (Kevlar®), 3% elastane (spandex)

Length: approx. 31 cm



DIN EN 659:2008 (EN 659+A1+AC:2009) CAT III

Abrasion resistance	1	2	3	4	
Cut resistance	1	2	3	4	5
Tear resistance	1	2	3	4	
Puncture resistance	1	2	3	4	
Burning behavior	1	2	3	4	
Dexterity	1	2	3	4	5

Available sizes	6	7	8	9	10	11	12	13
-----------------	---	---	---	---	----	----	----	----

Available colors	1999	7000
------------------	------	------

colour pink 7000
available in size 5-10



PATRON® FIRE
with knitted cuff

Art. 508 500-0

Knitted cuff: 97% aramid (Kevlar®),
3% elastane (spandex)

Length: approx. 31 cm



DIN EN 659:2008 (EN 659+A1+AC:2009) CAT III

Abrasion resistance	1	2	3	4	
Cut resistance	1	2	3	4	5
Tear resistance	1	2	3	4	
Puncture resistance	1	2	3	4	
Burning behavior	1	2	3	4	
Dexterity	1	2	3	4	5

Available sizes	6	7	8	9	10	11	12	13
-----------------	---	---	---	---	----	----	----	----

Available colors	6000
------------------	------



PATRON® FIRE

Art. 508 495-0


For description see page 9

NEW Fluorescent & reflective film




3M Scotchlite reflective transfer film is specifically designed for use on firefighter clothing and flame resistant workwear: Unlike similar products, it not only has a transverse segmentation, but also has a longitudinal gap between the retroreflective and fluorescent areas. This makes the material significantly more flexible and less susceptible to wear. Extinguishing water flows off much faster and does not collect on the strips. Better wearing comfort is another positive effect of this texture.

Complies with ISO 20471, EN 469, ISO 11611, ISO 11612 and ISO 14116





 Machine washable at 60°C
(checked 5 cycles)

PATRON® REVOLUTION

Art. 508 695-0

Palm, backhand: Special nappa cowhide leather, heat-resistant, water-repellent, tanned to be shrink-optimized, special softness due to the selected greases

Palm: Additionally reinforced with elastic knitwear Kevlar with carbon/silicone coating

Finger layers: Special nappa cowhide leather, heat-resistant, water-repellent, tanned to be shrink-optimized, special softness due to the selected greases

Internal lining: 3-D-performance lining, consisting of aramid

Cuff: Split cowhide, cuff end with nappa cowhide leather, adjustable strap with flap and Velcro® closure

Insert: hipora PU membrane, waterproof, windproof, breathable

Applications: Reflex stripes yellow on cuff 50 mm, wet reflective, ring and carabiner hook, label „PATRON REVOLUTION“ and „DAS ORIGINAL“ on end of cuff

Length: approx. 37 cm



PATRON® REVOLUTION with short cuff

Art. 508 696-0

Length: approx. 32 cm



PATRON® REVOLUTION with knitted cuff

Art. 508 600-0

Knitted cuff: 97% aramid (Kevlar®), 3% elastane (spandex)

Length: approx. 31 cm



DIN EN 659:2008 (EN 659+A1+AC:2009) CAT III

Abrasion resistance	1	2	3	4	
Cut resistance	1	2	3	4	5
Tear resistance	1	2	3	4	
Puncture resistance	1	2	3	4	
Burning behavior	1	2	3	4	
Dexterity	1	2	3	4	5

Available sizes	6	7	8	9	10	11	12	13
-----------------	---	---	---	---	----	----	----	----

Available colors	7149
------------------	------



PATRON® PBI
with knitted cuff

Art. 508 502-10

Knitted cuff: 97% aramid (Kevlar®),
3% elastane (spandex)
Length: approx. 31 cm



DIN EN 659:2008 (EN 659+A1+AC:2009) CAT III

Abrasion resistance	1	2	3	4	
Cut resistance	1	2	3	4	5
Cut resistance ISO 13997	E				
Tear resistance	1	2	3	4	
Puncture resistance	1	2	3	4	
Burning behavior	1	2	3	4	
Dexterity	1	2	3	4	5

Available sizes	6	7	8	9	10	11	12
-----------------	---	---	---	---	----	----	----

Available colors	1999
------------------	------



Machine washable at 40°C
(checked 15 cycles)

PATRON® PBI

Art. 508 501-10

Inside hand, back hand: special nappa cowhide leather, heat-resistant, water-repellent, tanned to be shrink-optimised, special softness due to selected greases

Finger joint & knuckle protection: PBI elastic knitted fabric; inside hand area and thumb interior are reinforced with PBI

Inner lining: extremely close-meshed knitted material 100% Aramid (Kevlar®)

Cuff: split cowhide

Insert: porelle PU membrane, waterproof, windproof with optimum breathability, anatomical, good vapour permeability


Applications: yellow/silver/yellow on cuff 50 mm, red snap hook, label „PATRON® PBI by askö“ and „DAS ORIGINAL“ gold on cuff end. Exclusive and unique with visor wiper

Length: approx. 37 cm

porelle®

*same variety delivery can not be guaranteed in the tran-sitional period



 Machine washable at 60°C



PATRON® FIRE ELK

Art. 508 503-10

Inside hand: cowhide leather

Backhand & knuckle protection: special elk leather, heat-resistant, water-repellent, tanned to be shrink optimised, special softness due to selected greases

Inner lining: made of extremely close-meshed knitted material 100% aramid (Kevlar®)

Cuff: split cowhide

Insert: Hipora PU membrane, waterproof, windproof with optimum breathability, anatomical, good vapour permeability

Applications: reflective strip, yellow/silver/yellow on cuff 50 mm, red snap hook, label „PATRON® by askö“ and „DAS ORIGINAL“

Length: approx. 37 cm

Fields of application:

These gloves are suitable for use in direct fire-fighting (flashover, indoor fire-fighting), as well as rescue, recovery and technical assistance within the meaning of EN 659



PATRON® FIRE ELK with short cuff

Art. 508 516-10





PATRON® FIRE ELK with knitted cuff

Art. 508 505-10

Knitted cuff: 97% aramid (Kevlar®), 3% elastane (spandex)

Length: approx. 31 cm





DIN EN 659:2008 (EN 659+A1+AC:2009) CAT III

Abrasion resistance	1	2	3	4	
Cut resistance	1	2	3	4	5
Tear resistance	1	2	3	4	
Puncture resistance	1	2	3	4	
Burning behavior	1	2	3	4	
Dexterity	1	2	3	4	5

Available sizes	6	7	8	9	10	11	12	13
-----------------	---	---	---	---	----	----	----	----

Available colors	5200
------------------	------

*same variety delivery can not be guaranteed in the trans-itional period



PATRON® PBI ELK
with knitted cuff

Art. 508 512-0

Knitted cuff: 97% aramid (Kevlar®),
3% elastane (spandex)
Length: approx. 31 cm



DIN EN 659:2008 (EN 659+A1+AC:2009) CAT III

Abrasion resistance	1	2	3	4	5
Cut resistance	1	2	3	4	
Tear resistance	1	2	3	4	
Puncture resistance	1	2	3	4	
Burning behavior	1	2	3	4	
Dexterity	1	2	3	4	

Available sizes	7	8	9	10	11	12
-----------------	---	---	---	----	----	----

Available colors	6500
------------------	------



PATRON® PBI ELK

Art. 508 509-0

Backhand, fingers, layers, adjustable strap: special elk leather, very soft, heat-resistant, water-repellent, tanned to be shrink-optimised

Finger joint and knuckle protection: PBI elastic knitted fabric for particularly good heat protection and wearing comfort; inside hand area and thumb interior are reinforced with PBI for optimum heat protection

Inner lining: extremely close-meshed knitted material 100% Aramid (Kevlar®)

Backhand & cuff: PBI matrix fabric extremely light and heat and flame resistant

Insert: porelle PU membrane, waterproof, windproof, breathable, resistant to chemicals in accordance with EN 659:2003

Applications: reflective strip, yellow/silver/yellow on cuff 50 mm, red snap hook, label „PATRON® PBI by askö“ and „DAS ORIGINAL“ gold

Length: approx. 37 cm



*same variety delivery can not be guaranteed in the tran-sitional period

Fire-Fighting Gloves | FIRE KEEPER®



- ▶ Futuristic refinement of the FIRE KEEPER® test winner with users' experiences and the innovations in the field of high/tech materials and also new processing methods
- ▶ All safety demands and requirements of the fields of application are covered
- ▶ Back of the hand and cuff with fluorocarbon- impregnated 100 % paraaramide made of piece-dyed Aramid (Kevlar®), a brand fibre of DuPont
- ▶ Permanent heat and flame protection, anti- static, high resistance to mechanical wear
- ▶ Internal lining made of 100% Aramid (Kevlar®) knit with a non-woven fabric made of 50% Aramid (Kevlar®) and 50 % Aramid (Nomex®) needled (needling is a Köninger patent)
- ▶ High level of breathability and good tactile feeling
- ▶ Knuckle area reaped and cushioned with impact-absorbing SUPROTECT
- ▶ Glove is longer and considerably wider at the cuff end
- ▶ Protective connection to the clothing
- ▶ Donning and removal time when wet or dry is only 2 seconds
- ▶ Perfect fit within the sizes

FIELD OF APPLICATION: The FIRE KEEPER® range is suitable for use in direct fire-fighting (flash-over, indoor fire-fighting), including rescue and recovery within the meaning of DIN EN 659:2008 (EN 659+A1+AC:2009).



FIRE KEEPER® with short cuff

Art. 506 989-71

Available colors

2400

60



FIRE KEEPER® with knitted cuff

Art. 506 991-10

Knitted cuff: 97% aramid (Kevlar®),
3% elastane (spandex)

Length: approx. 31 cm

Available colors

2400

60



60

Machine washable at 60°C
(checked 5 cycles)

porelle®

FIRE KEEPER®

Art. 506 989-10

Inside hand: outer layer original Pbi gold, inner layer 100% aramid (Kevlar®); with elastic silicone coating

Backhand, cuff: twill fabric made of 100% aramid (Kevlar®) piece-dyed, with NF seam protection made of flame-retardant silicone

Cuff lining: fabric made of meta-aramid

Insert: porelle PU membrane, waterproof, windproof with optimum breathability, anatomical, good vapour permeability

Applications: 3M Scotchlite reflective tapes, yellow/silver/yellow, reflective label „FIRE KEEPER“ on cuff, adjustable strap made of heat-resistant Kevlar with Velcro® closure, red snap hook

Length: approx. 37 cm

FIRE KEEPER® PRO

Long cuff Art. 506 989-11; Short cuff Art. 506 989-81;

Knitted cuff Art. 506 991-11

Inner additional layer made of 100% aramid.

Other properties like FIRE KEEPER® Art. 506 989-10 (see above).

Abrasion resistance

1 2 3 4

*same variety delivery can not be guaranteed in the transitional period



DIN EN 659:2008 (EN 659+A1+AC:2009) CAT III


Abrasion resistance	1	2	3	4	
Cut resistance	1	2	3	4	5
Tear resistance	1	2	3	4	
Puncture resistance	1	2	3	4	
Burning behavior	1	2	3	4	
Dexterity	1	2	3	4	5

Available sizes 6 7 8 9 10 11 12

Available colors

3200



 Machine washable at 60°C
(checked 5 cycles)

FIRE KEEPER® HEXAGON

Art. 506 989-80

Inside hand, finger joint & knuckle protection: Colored Nomex fabric, piece-dyed with ceramic coating in hexagon optic, borolon on palm.

Backhand, cuff: Fabric out of 55% modacryl and 45% cotton with transparent silicone coating. With NF seam protection.

Lining/Insulation: 3-D performance lining, consisting of 67% meta-aramid and 33% para-aramid, comfortable wearing.

Cuff lining: 100% cotton, flame resistant up to 250°C

Insert: Porelle PU membrane, waterproof, windproof with optimum breathability, anatomical shaped.

Applications: High quality reflective tapes yellow/silver/yellow on cuff, reflective label, red leather insert on the cuff, 1 adjustable strap at the cuff end with Velcro closure, rings on the right and left glove and a snap hook.

Length: approx. 37 cm

porelle®



FIRE KEEPER® HEXAGON with short cuff

Art. 506 989-72





FIRE KEEPER® HEXAGON with knitted cuff

Art.. 506 991-80

Knitted cuff: 97% aramid (Kevlar®), 3% elastane (spandex)

Length: approx. 31 cm





DIN EN 659:2008 (EN 659+A1+AC:2009) CAT III

Abrasion resistance	1	2	3	4	
Cut resistance	1	2	3	4	5
Tear resistance	1	2	3	4	
Puncture resistance	1	2	3	4	
Burning behavior	1	2	3	4	
Dexterity	1	2	3	4	5

Available sizes	6	7	8	9	10	11	12
-----------------	---	---	---	---	----	----	----

Available colors	5002
------------------	------



FIRE KEEPER® EN PBI
with knitted cuff

Art. 506 995-0

Knitted cuff: 97% aramid (Kevlar®),
3% elastane (spandex)
Length: approx. 31 cm



Machine washable at 60°C
(checked 5 cycles)

FIRE KEEPER® EN PBI

Art. 506 994-0

Inside hand: outer layer original PBI, inner layer 100% aramid (Kevlar®);
with elastic silicone coating

Backhand, cuff: twill fabric made of 100% aramid (Nomex®) piece-dyed,
with NF seam protection made of flame-retardant silicone

Cuff lining: 100% cotton, flame resistant up to 250°C

Insert: porelle PU membrane, waterproof, windproof with optimum
breathability, anatomical, good vapour permeability

Applications: 3M Scotchlite reflective tapes, yellow/silver/yellow,
reflective label „FIRE KEEPER“ on cuff, adjustable strap made
of heat-resistant Kevlar with Velcro® closure, red snap hook

Length: approx. 37 cm

porelle®

*same variety delivery can not be guaranteed in the tran-sitional period




DIN EN 659:2008 (EN 659+A1+AC:2009) CAT III

Abrasion resistance	1	2	3	4	
Cut resistance	1	2	3	4	5
Tear resistance	1	2	3	4	
Puncture resistance	1	2	3	4	
Burning behavior	1	2	3	4	
Dexterity	1	2	3	4	5

Available sizes	7	8	9	10	11	12
-----------------	---	---	---	----	----	----

Available colors	2400
------------------	------



 Machine washable at 60°C
(checked 5 cycles)

FIRE KEEPER® PBI MATRIX

Art. 506 989-55

Inside hand, finger joint & knuckle protection: elastic knitted fabric made of 100% aramid (Kevlar®) with flame-retardant silicone-carbon coating

Backhand, cuff: PBI matrix fabric extremely light and heat and flame resistant

Lining/Insulation: interlock knitted fabric made of 100% aramid (Kevlar®) directly needled with non-woven Aramid fabric

Cuff lining: 100% cotton, flame resistant up to 250°C

Insert: porelle PU membrane, waterproof, windproof with optimum breathability, anatomical

Applications: 3M Scotchlite reflective tapes yellow/silver/yellow on cuff, reflective label, yellow reflecting piping on the knuckle protection, 1 adjustable strap at the cuff end with Velcro closure, rings on the right and left glove and a red snap hook

Length: approx. 37 cm



*same variety delivery can not be guaranteed in the tran-sitional period



FIRE KEEPER® PBI MATRIX with short cuff

Art. 506 990-55

Length: approx. 32 cm



FIRE KEEPER® PBI MATRIX with knitted cuff


Art. 506 991-55

Knitted cuff: 97% aramid (Kevlar®), 3% elastane (spandex)

Length: approx. 31 cm



KNUCKLE PAD STRUCTURE



DIN EN 659:2008 (EN 659+A1+AC:2009) CAT III

Abrasion resistance	1	2	3	4	
Cut resistance	1	2	3	4	5
Tear resistance	1	2	3	4	
Puncture resistance	1	2	3	4	
Burning behavior	1	2	3	4	
Dexterity	1	2	3	4	5

Available sizes	6	7	8	9	10	11	12
-----------------	---	---	---	---	----	----	----

Available colors	6001
------------------	------



Fire-Fighting Gloves | FIRE ACTION Model Range



FIRE ACTION

Art. 508 508-0

Inside backhand & knuckle protection: special nappa cowhide leather approx 1.2 mm, heat-resistant, water-repellent, tanned to be shrink-optimised

Inner lining: extremely close-meshed knitted material 100% aramid (Kevlar®)

Cuff: split cowhide, flame-retardant, water-repellent

Insert: hipora PU membrane, waterproof, windproof, breathable, resistant to chemicals in accordance with EN 659:2003

Applications: reflective strips yellow/silver/yellow on cuff 50 mm, label "FIRE ACTION" on reflective strips, adjustable strap with flap and Velcro® closure on glove end, red hook

Length: approx. 37 cm

- ▶ The models of the FIRE ACTION range stand out due to their wide variety and very broad field of application
- ▶ In accordance with the latest certification EN 659:2008 (EN 659+A1+AC:2009)
- ▶ Perfect fit within the sizes and high degree of finger dexterity through selected leathers
- ▶ High degree of wearing comfort with a firm grip and good protection against mechanical risks
- ▶ Extremely hard-wearing membrane with all models of the FIRE ACTION range
- ▶ All models are heat and cold insulating
- ▶ All models available from size 7-12 (also sizes 6 and 13 on request)

Fields of application:

These gloves are suitable for use in direct fire-fighting (flashover, indoor fire-fighting), as well as rescue, recovery and technical assistance within the meaning of DIN EN 659:2008 (EN 659+A1+AC:2009)



DIN EN 659:2008 (EN 659+A1+AC:2009) CAT III

Abrasion resistance	1	2	3	4	
Cut resistance	1	2	3	4	5
Tear resistance	1	2	3	4	
Puncture resistance	1	2	3	4	
Burning behavior	1	2	3	4	
Dexterity	1	2	3	4	5

Available sizes	6	7	8	9	10	11	12	13
-----------------	---	---	---	---	----	----	----	----

Available colors	1999
------------------	------

*same variety delivery can not be guaranteed in the trans-itional period



FIRE ACTION ELCH with knitted cuff

Art. 508 507-0

Knitted cuff: 97% aramid (Kevlar®),
3% elastane (spandex)

Length: approx. 31 cm



DIN EN 659:2008 (EN 659+A1+AC:2009) CAT III

Abrasion resistance	1	2	3	4	
Cut resistance	1	2	3	4	5
Tear resistance	1	2	3	4	
Puncture resistance	1	2	3	4	
Burning behavior	1	2	3	4	
Dexterity	1	2	3	4	5

Available sizes	7	8	9	10	11	12
-----------------	---	---	---	----	----	----

Available colors	5200
------------------	------



Machine washable at 60°C
(checked 5 cycles)

FIRE ACTION ELCH

Art. 508 506-0

Backhand, layers & knuckle protection: special elk leather, heat-resistant, water-repellent, tanned to be shrink-optimised, very soft

Inside hand: special elk leather, doubled as reinforcement, heat-resistant, water-repellent, tanned to be shrink-optimised, anatomical cut with layers

Inner lining: extremely close-meshed knitted material 100% aramid (Kevlar®)

Cuff: split cowhide flame-retardant, water-repellent

Insert: Hipora PU membrane

Applications: reflective strips yellow/silver/yellow on cuff 50 mm, label "FIRE ACTION ELCH" on reflective strips, adjustable strap with flap and Velcro® closure on glove end, red hook, with visor wiper on index finger

Length: approx. 37 cm

Fields of application:

The Fire Action ELCH yellow gloves are suitable for use in direct fire-fighting (flashover, indoor fire-fighting) as well as rescue, recovery and technical assistance within the meaning of EN 659

*same variety delivery can not be guaranteed in the transitional period



Machine washable at 60°C
(checked 5 cycles)

double
closure

FIRE ACTION TOP

Art. 506 996-0

Inside hand, knuckle protection: elastic knitted material 100% aramid (Kevlar®) with flame-retardant silicone-carbon

Backhand, cuff: twill 100% Aramid (Nomex®) piece-dyed, with NF seam protection made of flame-retardant silicone

Insulation: interlock knitted fabric 100% aramid (Kevlar®) directly needled with 50% Aramid (Kevlar®) non-woven fabric and 50% aramid (Nomex®), knitted material F 1380 KN - 2 patented by askö

Cuff lining: fabric made of meta-aramid

Insert: porelle PU membrane PTFE, waterproof, windproof, optimum breathable, anatomical

Applications: 3M Scotchlite reflective tapes yellow/silver/yellow on cuff, adjustable strap with flap and Velcro® closure on glove end, red hook, padding at ball of hand, with visor wiper on index finger

Length: approx. 37 cm

porelle®



FIRE ACTION TOP
with knitted cuff

Art. 506 997-0

Knitted cuff: 97% aramid (Kevlar®), 3% elastane (spandex)

Length: approx. 31 cm



DIN EN 659:2008 (EN 659+A1+AC:2009) CAT III

Abrasion resistance	1	2	3	4		
Cut resistance	1	2	3	4		5
Tear resistance	1	2	3	4		
Puncture resistance	1	2	3	4		
Burning behavior	1	2	3	4		
Dexterity	1	2	3	4	5	

Available sizes	6	7	8	9	10	11	12	13	14
-----------------	---	---	---	---	----	----	----	----	----


Available colors	1999
------------------	------

*same variety delivery can not be guaranteed in the trans-sitional period

Fire-Fighting Gloves | PATRIOT® Model Range





 Machine washable at 60°C
(checked 5 cycles)



PATRIOT® Fireproof

Art.-Nr. 506 800-0

Inside hand, finger joint & knuckle reinforcement, fingertips: aramid PA knitted fabric with flame-retardant silicone-carbon coating

Backhand, cuff: twill fabric made of 100% aramid (Kermel) piece-dyed with NF seam protection

Inner lining: 100% kevlar needled on one side from 50% para-aramid and 50% Meta-Aramid with additional needle fleece from 100% para-aramid to optimize the thermal insulation

Insert: Hipora PU membrane, waterproof, windproof and optimum breathability, anatomical, good vapour permeability

Applications: 3M Scotchlite reflective tapes in yellow/silver/yellow, reflecting label

Length: approx. 37 cm

PATRIOT® Fireproof PRO

Long cuff Art. 506 800-1; Knitted cuff Art. 506 801-1

PTFE membrane, inner additional layer made of 100% aramid
Other properties as PATRIOT® Fireproof Art. 506 800-0 (see above).

Abrasion resistance 1 2 3 4



PATRIOT® Fireproof with knitted cuff

Art. 506 801-0

Knitted cuff: 97% aramid (Kevlar®), 3% elastane (spandex)

Length: approx. 31 cm

 60



3200

6001

2400



DIN EN 659:2008 (EN 659+A1+AC:2009) CAT III

Abrasion resistance	1	2	3	4	
Cut resistance	1	2	3	4	5
Tear resistance	1	2	3	4	
Puncture resistance	1	2	3	4	
Burning behavior	1	2	3	4	
Dexterity	1	2	3	4	5

Available sizes	6	7	8	9	10	11	12	13
-----------------	---	---	---	---	----	----	----	----

Available colors	3200	6001	2400
------------------	------	------	------

*same variety delivery can not be guaranteed in the tran-sitional period



PATRIOT® Flame Fighter
with short cuff

Art. 508 517-0

Available colors 1999



PATRIOT® Flame Fighter
with knitted cuff

Art. 508 511-0

Knitted cuff: 97% aramid (Kevlar®),
3% elastane (spandex)
Length: approx. 31 cm

Available colors 1999



DIN EN 659:2008 (EN 659+A1+AC:2009) CAT III

Abrasion resistance	1	2	3	4	
Cut resistance	1	2	3	4	5
Tear resistance	1	2	3	4	
Puncture resistance	1	2	3	4	
Burning behavior	1	2	3	4	
Dexterity	1	2	3	4	5

Available sizes 7 8 9 10 11 12

Available colors 1999 3200



Machine washable at 40°C
(checked 5 cycles)



PATRIOT® Flame Fighter

Art. 508 510-0

Backhand, layers & knuckle protection: special split cowhide approx
1.2 mm, heat-resistant, water-repellent, tanned to be shrink-optimised

Inner lining: extremely close-meshed knitted material 100% aramid
(Kevlar®)

Insert: hipora PU membrane, waterproof, windproof, breathable,
resistant to chemicals in accordance with DIN EN 659:2008
(EN 659+A1+AC:2009)


Applications: adjustable strap with flap and Velcro® closure, reflective
strips yellow/silver/yellow on cuff, label „Patriot® Flame Fighter“ on cuff,
yellow reflecting piping on the knuckle protection, adjustable strap with
flap and Velcro® closure on glove end, red hook

Length: approx. 37 cm



*same variety delivery can not be guaranteed in the tran-sitional period



 Machine washable at 30°C
(checked 5 cycles)

DEFENDER

Art. 603 549-0

Inside hand: made of heat resistant and water-repellent shrink-optimised cow grain leather, palm reinforcement additional applications made of digital leather

Back of the hand: made of flame-retardant aramid (Nomex®)

Inner lining: elastic aramid (Kevlar®) knitted fabric with silver plus (antibacterial)

Cuff: made of flame-retardant aramid (Nomex®)

Insert: Hipora PU membrane, waterproof, breathable

Applications: reflective tape yellow/silver/yellow on cuff, label „askö Defender“ on the cuff, adjustable strap with flap and Velcro® closure on glove end, red hook

Length: approx. 37 cm



DEFENDER with knitted cuff

Art. 603 556-0

Knitted cuff: 97% aramid (Kevlar®),
3% elastane (spandex)

Length: approx. 31 cm

 30



DIN EN 659:2008 (EN 659+A1+AC:2009) CAT III

Abrasion resistance	1	2	3	4	5
Cut resistance	1	2	3	4	
Tear resistance	1	2	3	4	
Puncture resistance	1	2	3	4	
Burning behavior	1	2	3	4	
Dexterity	1	2	3	4	

Available sizes	7	8	9	10	11	12
-----------------	---	---	---	----	----	----

Available colors	2400
------------------	------

*same variety delivery can not be guaranteed in the tran-sitional period

FIRE INTERVENTION · Art. 508 519-0

Palm, backhand and cuff: special cow split leather approx. 1,2 mm, heat resistant, hydrophobic, shrinkage-optimized tanned

Palm reinforcement: 100% aramid (Kevlar®), knitted fabric with flame retardant silicone-carbonate coating

Knuckle reinforcement: additional layer cow split leather with foam

Lining: 100% aramid (Kevlar®)

Lining cuff: 100% cotton flame-retardant

Insert: hipora PU membrane, waterproof, windproof and optimum breathability, anatomical, good vapour permeability

Applications: adjuster stripe with velcro, reflective tapes in yellow/silver/yellow, reflecting label, reflective piping on backhand, carabiner, D-ring



DIN EN 659:2008 (EN 659+A1+AC:2009) CAT III

Abrasion resistance	1	2	3	4	
Cut resistance	1	2	3	4	5
Tear resistance	1	2	3	4	
Puncture resistance	1	2	3	4	
Burning behavior	1	2	3	4	
Dexterity	1	2	3	4	5

Available sizes	7	8	9	10	11	12	13
-----------------	---	---	---	----	----	----	----

Available colors	1999
------------------	------

Minimum order quantity & delivery time on request



NEW



THERMO HERO · Art. 508 521-0

Inside hand & knuckle protection: Special black split cowhide approx 1.1-1,3 mm, heat-resistant, water-repellent, tanned to be shrink-optimised

Backhand: Special yellow split cowhide approx 1.1-1,3 mm, heat-resistant, water-repellent, tanned to be shrink-optimised

Inner lining palm: Interlock knitted fabric made of 60% Kevlar®/40% polyglas

Inner lining back hand: Interlock knitted fabric made of 60% Kevlar®/40% Polyglas, additional for optimized heat defense 3 D lining from 67% Nomex®, 33% Kevlar®, extra comfortable wearing, norafin

Short cuff: Special black split cowhide approx 1.1-1,3 mm, heat-resistant, water-repellent, tanned to be shrink-optimised

Membrane: PTFE porelle PU membrane

Applications: Ring & hook, red carabiner, reflective label "THERMO HERO by askö" on cuff



DIN EN 659:2008 (EN 659+A1+AC:2009) CAT III

Abrasion resistance	1	2	3	4	
Cut resistance	1	2	3	4	5
Tear resistance	1	2	3	4	
Puncture resistance	1	2	3	4	
Burning behavior	1	2	3	4	
Dexterity	1	2	3	4	5

Available sizes	6	7	8	9	10	11	12	13	14
-----------------	---	---	---	---	----	----	----	----	----

Available colors	5201
------------------	------

NEW



Machine washable at 30°C
(checked 5 cycles)



FIRE GRENADE · Art. 506 988-0

Palm, material between Fingers, knuckle and fingertips reinforcement: 100% aramid (Kevlar®), knitted fabric with flame-retardant silicone-carbon coating
Backhand, cuff: Twill fabric made of 100% aramid (Nomex®, blue)
Finger joint: Twill fabric made of 100 % aramid (Nomex®, red)
Lining: 100% aramid (Kevlar®)
Lining cuff: 100% cotton flame-retardant
Insert: Hipora PU membrane, waterproof, windproof and optimum breathability, anatomical, good vapour permeability
Applications: adjuster stripe with velcro, reflective tapes in yellow/silver/yellow, reflecting label, reflective piping on backhand, carabiner, D-ring



DIN EN 659:2008 (EN 659+A1+AC:2009) CAT III

Abrasion resistance	1	2	3	4	
Cut resistance	1	2	3	4	5
Tear resistance	1	2	3	4	
Puncture resistance	1	2	3	4	
Burning behavior	1	2	3	4	
Dexterity	1	2	3	4	5

Available sizes	7	8	9	10	11	12	13
-----------------	---	---	---	----	----	----	----

Available colors	2400
------------------	------

Minimum order quantity & delivery time on request



REACTION FIREPROOF

Art. 506 993-0

Backhand, palm, parts of cuff: special cow grain leather approx. 1,2 mm, heat resistant, hydrophobic, shrinkage-optimized tanned
Palm, knuckle- and fingertips-reinforcement: aramid (Kevlar®)/ PBI, elastic knitted fabric for particularly good heat protection and wearing comfort
Cuff: Special cow split leather approx. 1,2mm
Lining: 100% aramid (Kevlar®)
Lining cuff: 100% cotton, flame-retardant
Insert: Hipora PU membrane, waterproof, windproof and optimum breathability, anatomical, good vapour permeability
Applications: adjuster stripe with velcro, reflective tapes in yellow/silver/yellow, reflecting label, reflective piping on backhand, carabiner, D-ring



DIN EN 659:2008 (EN 659+A1+AC:2009) CAT III

Abrasion resistance	1	2	3	4	
Cut resistance	1	2	3	4	5
Tear resistance	1	2	3	4	
Puncture resistance	1	2	3	4	
Burning behavior	1	2	3	4	
Dexterity	1	2	3	4	

Available sizes	7	8	9	10	11	12	13
-----------------	---	---	---	----	----	----	----

Available colors	1999
------------------	------

Minimum order quantity & delivery time on request



ISO 7000-2418



AS/NZS 2161.6 BMP No 682095
Australian/New Zealand Standards

Available colors

6500

Available sizes

7 8 9 10 11 12



PATRIOT® BUSHFIRE AS/NZS LEVEL 1 with knitted cuff · Art. 508 515-90

Inside hand, finger joint & knuckle protection: Special split cowhide approx 1.3-1,4 mm, heat-resistant, water-repellent, tanned to be shrink-optimised

Backhand: hv yellow woven fabric, 60/ 40% M-AR (NOMEX®/KEVLAR®) with silicon coating

Finger tips: woven fabric Kevlar with silicon/carbon coating FR

Inner lining: 3 D lining from 67 % meta aramid, 33 % para aramid, extra comfortable wear

Knitted cuff: 100% Kevlar® knitted material

Applications: Ring & hook, red carabiner

Length: approx. 31 cm



ISO 7000-2418



AS/NZS 2161.6 BMP No 682095
Australian/New Zealand Standards

Available colors

grey

Available sizes

7 8 9 10 11 12



PROTECTOR BUSHFIRE AS/NZS LEVEL 1 with knitted cuff · Art. 508 518-90

Inside hand, Back hand: Cow grain leather, natural, hydrophobed, thickness app. 1,2 mm, Pulse protection, welted seam

Palm, index finger, thumb: reinforced with cow grain leather, natural, hydrophobed, thickness app. 1,2 mm

Inner lining: 100% aramid Kevlar® knitted fabric

Cuff: 100% Aramid Kevlar knitted wrist

Applications: reflective piping on knuckle protection, rubber label on backside, D-rings and carabiner, donning loops on each side of hand.

Length: App. 29 cm (in size 10)



Machine washable at 60°C
(checked 5 cycles)



ISO 7000-2418



AS/NZS 2161.6 BMP No 682095
Australian/New Zealand Standards

Available colors

6001

Available sizes

6 7 8 9 10 11 12 13



FIRE KEEPER® PBI MATRIX with knitted cuff · Art. 506 991-90

Inside hand, finger joint & knuckle protection: Elastic knitted fabric made of 100% Kevlar with flame-retardant silicone-carbon coating

Backhand: PBI matrix fabric extremely light and heat and flame resistant

Lining/Insulation: 3 D lining from 67% meta Aramid, 33 % para aramid, extra comfortable wear

Knitted cuff: Fabric made of meta-aramid

Insert: porelle PU membrane, waterproof, windproof with optimum breathability, anatomical

Applications: Reflective label, rings on the right and left glove and a snap hook

Length: approx. 31 cm



ISO 7000-2418



AS/NZS 2161.6 BMP No 682095
Australian/New Zealand Standards

Available colors

6001

Available sizes

6 7 8 9 10 11 12 13



PATRON® PBI ELK with knitted cuff · Art. 508 512-90

Backhand, fingers: Back of hand with PBI Matrix fabric extremely light and flame resistant, hard-shell protector coated with digital leather and elk leather trim

Inside hand: special elk leather, very soft, heat-resistant, water-repellent, tanned to be shrink-optimised, Elastic knitted fabric made of 100% Kevlar with flame-retardant silicone-carbon coating

Lining: 3 D lining from 67% meta Aramid, 33% para Aramid, extra comfortable wear

Knitted cuff: 100% Kevlar® knitted material

Membrane: porelle PU membrane, waterproof, windproof, breathable, resistant to chemicals

Applications: Ring and hook

Length: approx. 31 cm



*Winners are made
with our gloves!*

Firefighters put their heart and soul into their work. If they are well protected, they can save lives. During their challenges, the Fire-Fighters test the askö products and help with their expertise to promote the innovation of the products.



Philipp Kaiser, Pascal Dülge



Ralf Sikorra, Dietmar Kirsch,
Magnus Hirschfeld, Gerd Müller,
Heiko Gehrke



Dietmar Kirsch,
Theo Maier und Ralf Sikorra



Meghann
Krüger

Success is not a question of age...

The HAIX Wild 50's Team shows that you can still be fit even when you're over 50 and that the right equipment is important. All team members are either volunteer firefighters or even in the professional fire department.

Gloves for Rescue & Recovery



Blood
and bacteria
resistant



SURVIVOR

Art. 603 563-0

Back of Hand: 97% polyester, 3% elastane (spandex)

Ankle protection: 100% neoprene

Palm: 100% polyester amara, thickness min. 0,7-0,9 mm

Reinforcement palm and fingertips: 100% polyurethanes

Lining: 40% HSP (high strength polyethylene), 40% polyester, 20% polyglass

Membrane: 100% polyurethane, waterproof, breathable, vapor permeable, bacteria and blood resistant

Cuffs final: 100% polyester



Machine washable at 60°C
(checked 5 cycles)



EN 388:2016+A1:2018 CAT II

Abrasion resistance	1	2	3	4	
Cut resistance	1	2	3	4	5
Cut resistance DIN EN ISO 13997	E				
Tear resistance	1	2	3	4	
Puncture resistance	1	2	3	4	
Dexterity (according DGUV)	1	2	3	4	5

Available sizes	5	6	7	8	9	10	11	12	13
-----------------	---	---	---	---	---	----	----	----	----

Available colors	7149	7153	5003
------------------	------	------	------

GUARD

603 555-0

Backhand: 50% polyester, 35% polyamide, 10% polyurethane, 5% other fibers

Inner lining: polyethylene (Dyneema)

Lining: polyethylene (Dyneema)

Membrane: 100% polyurethane, waterproof, breathable, steam permeable, blood and bacteria resistant

Equipment: the inserts in the inside hand offer additional protection. Reinforcement of the inner fingertips and index fingers and thumbs with water-repellent PU material. Due to the comfortable double inner lining this glove is both waterproof and cut-resistant. The tightly fitting dirt control cuff prevents the entry of dirt and larger particles.



Machine washable at 40°C
(checked 5 cycles)



EN 388:2016 CAT II

Abrasion resistance	1	2	3	4	
Cut resistance	1	2	3	4	5
Tear resistance	1	2	3	4	
Puncture resistance	1	2	3	4	
Dexterity (according DGUV)	1	2	3	4	5

Available sizes	6	7	8	9	10	11	12	13	14
-----------------	---	---	---	---	----	----	----	----	----

Available colors	7149	5002	7111
------------------	------	------	------



GUARD with knitted cuff

Art. 603 558-0

Backhand: 50% polyester, 35% polyamid, 10% polyurethan, 5% other fibers

Lining: polyethylene (Dyneema)

Membrane: 100% polyurethan, waterproof

Equipment: the inserts in the inside hand offer additional protection. Reinforcement of the inner fingertips and index fingers and thumbs with water-repellent PU material. Due to the comfortable double inner lining this glove is both waterproof and cut-resistant. The tightly fitting dirt control cuff prevents the entry of dirt and larger particles.



Machine washable at 40°C
(checked 5 cycles)



EN 388:2016 CAT II

Abrasion resistance	1	2	3	4	
Cut resistance	1	2	3	4	5
Tear resistance	1	2	3	4	
Puncture resistance	1	2	3	4	
Dexterity (according DGUV)	1	2	3	4	5

Available sizes	6	7	8	9	10	11	12	13	14
-----------------	---	---	---	---	----	----	----	----	----

Available colors	5002	7000
------------------	------	------



colour pink 7000
available in size 5-10

Gloves for Rescue & Recovery



GRIP ULTRA

Art. 603 550-0

Palm: synthetic leather with silikon coating

Equipment: stripe on inside hand and thumb made of silicone, back of the hand made of orange nylon knitted fabrics, elastic, but protection, good fit, good abrasion resistance - including ring and hook



EN 388:2016+A1 CAT II

Abrasion resistance	1	2	3	4																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
---------------------	---	---	---	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--



Available colors	7149	7150	7453	7000	1999
------------------	------	------	------	------	------

colour pink 7000 available in size 5-10



PERFORMER

Art. 603 568-0

Back of Hand: 97% polyester, 3% elastane (spandex)

Simmering and finger protection: 100% polyvinylchlorid

Palm: 100% polyurethan

Layer on finger: 100% polyester amara, thickness mind. 0,7 – 0,9 mm

Lining: 40% HSP (high strength polyethylene), 40% polyester, 20% polyglass

Cuffs final: 100% polyester



Machine washable at 60°C
(checked 5 cycles)



EN 388:2016+A1:2018 CAT II

Abrasion resistance	1	2	3	4										
Cut resistance	1	2	3	4	5									
Cut resistance DIN EN ISO 13997	F													
Tear resistance	1	2	3	4										
Puncture resistance	1	2	3	4										
Dexterity (according DGUV)	1	2	3	4	5									
Available sizes	5	6	7	8	9	10	11	12	13					

Available colors	7149	7153	5003
------------------	------	------	------



DEER SKIN

Art. 603 552-0

Backhand: polyamid/ spandex (water and dirt repellent)

Palm: Grain leather

Finger-/knuckle protectors: aramid (Kevlar®) with carbon coating

Fingertips: PU-coating

Equipment: finger and knuckle protectors inside hand made of grain leather, inside hand reinforcement through the use of additional applications made of Kevlar with carbon coating, possibility of connecting in pairs through carabiner and eyelet, fingertips with PU coating - high resistance to slipping due to PU coating - particularly high abrasion resistance due to the carbon coating.



Machine washable at 30°C
(checked 5 cycles)



EN 388:2016 CAT II

Abrasion resistance	1	2	3	4	
Cut resistance	1	2	3	4	5
Tear resistance	1	2	3	4	
Puncture resistance	1	2	3	4	
Dexterity (according DGUV)	1	2	3	4	5

Available sizes	6	7	8	9	10	11	12	13
-----------------	---	---	---	---	----	----	----	----

Available colors	5002	5200	5998	3200
------------------	------	------	------	------



DEER SKIN PRO

Art. 603 562-0

Backhand: polyamid/ spandex (water and dirt repellent)

Palm: grain leather

Finger-/ knuckle protectors: aramid (Kevlar®) with carbon coating

Fingertips: PU-coating

Equipment: finger and knuckle protectors inside hand made of grain leather, inside hand reinforcement through the use of additional applications made of Kevlar with carbon coating, possibility of connecting in pairs through carabiner and eyelet, fingertips with PU coating - high resistance to slipping due to PU coating - particularly high abrasion resistance due to the carbon coating.



Machine washable at 30°C
(checked 5 cycles)



EN 388:2016 CAT II

Abrasion resistance	1	2	3	4	
Cut resistance	1	2	3	4	5
Cut resistance DIN EN ISO 13997	D				
Tear resistance	1	2	3	4	
Puncture resistance	1	2	3	4	
Dexterity (according DGUV)	1	2	3	4	5

Available sizes	6	7	8	9	10	11	12
-----------------	---	---	---	---	----	----	----

Available colors	5002	5200	3200
------------------	------	------	------



with Kevlar®
inner lining

Gloves for Rescue & Recovery



colour pink 7000
available in size 5-10

OPERATOR

Art. 603 564-0

Inside hand: partly out of goatskin, PU coating

Fingertips: made of skid-resistant PU coating

Inner lining: aramid (Kevlar®), fiberglass

Cuff: tight-fitting neoprene cuff

Equipment: inside hand partly from goatskin, inside hand and fingertips made of skid-resistant PU coating, with a high level of abrasion and cut resistance, polyamide lining, part of thumb area made of 100% cotton for sweat absorption, including ring and hook.



Machine washable at 40°C
(checked 5 cycles)



EN 388:2003 CAT II

Abrasion resistance	1	2	3	4	
Cut resistance	1	2	3	4	5
Tear resistance	1	2	3	4	
Puncture resistance	1	2	3	4	
Dexterity (according DGUV)	1	2	3	4	5

Available sizes	6	7	8	9	10	11	12	13
-----------------	---	---	---	---	----	----	----	----

Available colors	5002	3200	7000
------------------	------	------	------

TRON

Art. 603 578-0

Back of Hand: 97% polyester, 3% elastane (spandex)

Simmering and finger protection: 100% polyvinylchlorid

Palm and layers: 100% polyester amara, thickness min. 0.7-0.9 mm

Reinforcement palm and fingertips: 100% polyurethan

Lining: 40% HSP (high strength polyethylene), 40% polyester, 20% polyglass

Cuff final: 100% polyester neopren



Machine washable at 60°C
(checked 20 cycles)



EN 388:2016+A1:2018 CAT II

Abrasion resistance	1	2	3	4	
Cut resistance	1	2	3	4	5
Cut resistance DIN EN ISO 13997	E				
Tear resistance	1	2	3	4	
Puncture resistance	1	2	3	4	
Dexterity (according DGUV)	1	2	3	4	5

Available sizes	5	6	7	8	9	10	11	12	13
-----------------	---	---	---	---	---	----	----	----	----

Available colors	1999
------------------	------

SPLIT RESCUE

Art.603 561-10

Back of the hand: 97% polyester, 3% elastane (spandex)

Inside hand, knuckles, fingertips: heat-resistant split cowhide leather

Inner lining, inside hand: 100% aramid

Applications: ring and hook, red piping, touch-screen capable

Cuff: tightfitting neoprene cuff



Machine washable at 40°C
(checked 5 cycles)



EN 388:2016 CAT II

Abrasion resistance	1	2	3	4										
Cut resistance	1	2	3	4	5									
Tear resistance	1	2	3	4										
Puncture resistance	1	2	3	4										
Burning behavior	1	2	3	4										
Dexterity	1	2	3	4	5									
Available sizes	5	6	7	8	9	10	11	12	13					

Available colors **5002**



DIN EN 407

The SPLIT RESCUE
is also for outdoor
firefighting suitable

REVIVAL

Art. 603 701-10

Palm: with nitril coating

Backhand: 100% fine knitted polyethylen, impact-absorbing protectors

Cuff: with adjustable velcro closure

Fine-knitted glove with latex coating. The special fiber guarantees an increased cut resistance combined with excellent tactile sensitivity and optimal fit. Very grip palm surface with blue nitril coating.



EN 388:2016+A1:2018 CAT II

Abrasion resistance	1	2	3	4		
Cut resistance	1	2	3	4	5	
Cut resistance DIN EN ISO 13997	D					
Tear resistance	1	2	3	4		
Puncture resistance	1	2	3	4		
Dexterity (according DGUV)	1	2	3	4	5	
Available sizes	7	8	9	10	11	12

Available colors **2402**



**TOP
Grip**

Training & youth



FIRE KEEPER® Junior

Art. 508 402-0

Palm and sidefingers: soft amara synthetic leather

Upper hand: soft amara synthetic leather, padded protectors on the back of the hand and fingers for optimum protection.

Palm application and fingertips: abrasion resistant and water resistant PU material.

Cuff: elastic neoprene with applied reflex band and adjustable buckle.



Field of Application

The gloves in the Training & Youth range are suitable for use in exercises with mechanical risks according to EN 388 CAT II or for clearing work. Due to the heat shrinkage of the leather these gloves must not be used for deployments with thermal or similar risks or with direct flames.



EN 388:2016 CAT II

Abrasion resistance	1	2	3	4	
Cut resistance	1	2	3	4	5
Tear resistance	1	2	3	4	
Puncture resistance	1	2	3	4	
Dexterity	1	2	3	4	5

Available sizes	3	4	5	6	7	8	9	10
-----------------	---	---	---	---	---	---	---	----

Available colors	2400
------------------	------

Jugend-FW


Art. 508 401-0


Inside hand, fingertips & layers: soft amara artificial leather, padded in the inside hand area

Backhand: polyamide-spandex

Cuff: elastic neoprene

Accessoires: label askö „Jugend-FW“, ring and hook

 Machine washable at 40°C
(checked 15 cycles)

 EN 388:2019-03 CAT II

Abrasion resistance	1	2	3	4
Cut resistance DIN EN ISO 13997	1	2	3	4
Tear resistance	1	2	3	4
Puncture resistance	1	2	3	4

Available sizes	3	4	5	6	7	8	9	10	11	12
-----------------	---	---	---	---	---	---	---	----	----	----

Available colors	2400	5800
------------------	------	------



Jugend-FW with knitted cuff


Art.-Nr. 508 400-0


Inside hand, fingertips & layers: soft amara artificial leather, padded in the inside hand area

Backhand: polyamide-spandex

Cuff: elastic neoprene

Accessoires: label askö „Jugend-FW“, ring and hook

 Machine washable at 40°C
(checked 15 cycles)

 EN 388:2019-03 CAT II

Abrasion resistance	1	2	3	4
Cut resistance DIN EN ISO 13997	1	2	3	4
Tear resistance	1	2	3	4
Puncture resistance	1	2	3	4

Available sizes	3	4	5	6	7	8	9	10	11	12
-----------------	---	---	---	---	---	---	---	----	----	----

Available colors	2400	5800
------------------	------	------





TRAINING GLOVES YOUTH (UVV)

Art. 544 015-0

Made of cracked cow grain leather in accordance with EN 388 CAT II

Equipment: inside hand, back of the hand, knuckle protection, trimming: cow grain leather

Back of the hand, cuff: split cowhide

TRAINING GLOVES YOUTH (UVV)

Art. 508 415-0

Made of cow grain leather in accordance with EN 388 CAT II

Equipment: inside hand, back of the hand, knuckle protection

Trimming: cow grain leather

Cuff: split cowhide

Valid for all 4 models



Abrasion resistance	1	2	3	4
Cut resistance	1	2	3	4
Tear resistance	1	2	3	4
Puncture resistance	1	2	3	4

Available sizes	5,5	6,5	7,5	8,5
Available colors	1500			



TRAINING GLOVES (UVV)

Art. 544 417-0

Made of cow grain leather/ split cowhide in accordance with EN 388 CAT II

Equipment: inside hand, knuckle protection, trimming: split cowhide, pipe seam

Back of the hand, cuff: split cowhide

TRAINING GLOVES (UVV)

Art. 508 417-0

Made of cow grain leather in accordance with EN 388 CAT II

Equipment: inside hand, back of the hand, knuckle protection

Trimming: cow grain leather

Cuff: split cowhide

Available sizes	10
Available colors	1500

TRAINING GLOVES (UVV)

Art. 508 437-0

made of cow grain leather in accordance with EN 388 CAT II

Equipment: inside hand, back of the hand, knuckle protection, trimming: cow grain leather, natural colour

Cuff: full calf leather

Lenght app. 35 cm



DIN EN 388:2016 CAT II

Abrasion resistance	1	2	3	4
Cut resistance	1	2	3	4
Tear resistance	1	2	3	4
Puncture resistance	1	2	3	4

Available sizes	10
-----------------	----

Available colors	1500
------------------	------



TRAINING GLOVES

Art. 548 407-0

made of cow grain leather, CAT I

Equipment: inside hand, back of the hand, knuckle protection, trimming: cow grain leather

Cuff: split cowhide

Applications: red „Fire Brigade“ inscription on knuckle protection luminous strip, orange, on the cuff

Lenght app. 35 cm

Available sizes	10
-----------------	----

Available colors	1500
------------------	------



TRAINING GLOVES

Art. 508 477-0

made of cow grain leather, CAT I

Equipment: inside hand double cotton lining, ring and hook, back of the hand, knuckle protection: cow grain leather, natural colour, inside hand doubled all the way through, lined

Cuff: split cowhide

Applications: red „Fire Brigade“ inscription on knuckle protection, luminous strip, orange, on the cuff

TOP DESIGN

Lenght app. 35 cm

Available sizes	10
-----------------	----

Available colors	1500
------------------	------



STANDARD-BEARER GLOVE

Art. 508 436-0

Equipment: very supple full calf leather, pleasant inner lining, elastic band on the wrist for optimum fit

Available sizes	8	9	10	11	12
-----------------	---	---	----	----	----

Available colors	1000	1999
------------------	------	------



All our fire-fighting gloves made of **textile** are basically suitable for washing.

For all textile gloves applies:

- Use **only neutral detergent** – no softener!
- Closures (especially Velcro) clean Close, remove the carabiner
- For gentle washing, the gloves may be in a laundry net. Carefully tighten the glove when wet and by moving the hand, to bring the glove in shape.
- Do not place on a radiator to dry and also not in the tumble dryer!
- To dry the gloves hang at the fingertips.

Machine wash allowed at 60°C:

- **Fire KEEPER Model Range**
- **Fire KEEPER HEXAGON Model Range**
- **Fire KEEPER EN Pbi Model Range**
- **Fire KEEPER Pbi Matrix Model Range**
- **Fire Action Top Model Range**
- **Patriot Fireproof Model Range**

Machine wash allowed at 30°C:

- **DEFENDER Model Range**

All askö fire-fighting gloves are accompanied by an individual care description. Here is a short explanation of the washing symbols.



Machine wash allowed
Washing temperature in the symbol



Light wash
allowed



machine wash
not allowed



Not in
the Dryer



Do not iron



Chemical cleaning
not allowed



Do not bleach

*** Protective clothing (PPE) generally belongs in professional hands.**
Toxic substances can penetrate the PPE through inserts, which are hardly removed without residue by conventional washing machines. In addition, harmful substances can be transferred to private laundry. The protective function and manufacturer's warranty can only be ensured by proper treatment.



Fire KEEPER



Fire KEEPER
HEXAGON



Fire KEEPER
EN Pbi



Fire KEEPER
Pbi Matrix



Patriot Fireproof



Fire Action Top



DEFENDER



Patron
Revolution



Patron
Fire ELK



Fire Action Elch



Patriot
Flamefighter



Care of **leather**-gloves

Bitte beachten:

- To the durability of the glove to ensure we recommend as Manufacturer's care by means of commercial Cleaning agents (e.g., brushes, Cleaning cloths etc.) The leather areas should be treated regularly with care grease
- to dry the gloves hang at the fingertips.
- Do not tumble dry, do not spin, dry clean makes a prior consultation with a recognized specialist company required.
- The gloves in a dry, light-protected and store clean place.

Hinweis: Bei unseren waschbaren Leder-Handschuhen verweisen wir auf die Pflegeempfehlung unserer Textil-Handschuhe.

Machine wash allowed at 60°C:

- Patron Revolution Model Range
- Patron Fire ELK Model Range
- Fire Action Elch Model Range

Machine wash allowed at 40°C:

- Patriot Flamefighter Model Range

LEATHER CARE FAT

Art. 666 669-0

Leather care for fire fighter gloves

The leather care product protects and protects the leather and gives it back the natural smoothness. The Apply care grease to the glove with a cloth and quickly apply with circular motions. Approximately Act for 24 hours and let dry, then put on the gloves and walk through something.



IMPORTANT: Permanently incorrect removal of the gloves always leads to damage - at the seams or on the materials! Gloves should be added. **Take off always be held at the fingertips.**



Sustainability is important to us

All askö models now in ecological cotton packaging!

To save the environment, our gloves are no longer packed in plastic bags. Our gloves are delivered in cotton bags, these are not "only" packaging, they can also be used as a wash bag.

- + no plastic waste
- + protects the environment
- + attractive packaging
- + can be used as a wash bag



*I'm also
a washbag!*



PATRON®

Art.-508 497-0

Inside hand, backhand: special nappa cowhide leather, approx. 1.1 mm, heat-resistant, water-repellent

Inner lining: made of extremely close-meshed knitted material 100% aramid (Kevlar®)

Cuff: cracked leather adjustable by means of flap with Velcro® closure

Applications: reflective strip on cuff all-round 25 mm wide, yellow, of low flammability, ring and hook, reflective label by askö

Length: approx. 37 cm



EN 659:2003+A1:2008+AC:2009 CAT III

Abrasion resistance	1	2	3	4	
Cut resistance	1	2	3	4	5
Tear resistance	1	2	3	4	
Puncture resistance	1	2	3	4	
Dexterity	1	2	3	4	5

Available sizes	6	7	8	9	10	11	12	13
-----------------	---	---	---	---	----	----	----	----

Available colors	1999
------------------	------



The models Patron® and Boxer® are suitable for normal fire fighting operations – but not for flash-over use!

BOXER®

Art. 548 417-0

Inside hand, backhand: cow grain leather, natural colour, water-repellent, leather thickness approx 1.2 mm with inside hand and knuckle reinforcement, wrist protection, pipe seam

Inner lining: 100% aramid (Kevlar®)

Cuff: split cowhide, lined

Applications: reflective strip on cuff all round, 25 mm wide, with „Fire Brigade“ inscription, ring and hook

Length: approx. 37 cm



DIN EN 388:2016 CAT II



EN 407 CAT III

Abrasion resistance	1	2	3	4	
Cut resistance	1	2	3	4	5
Tear resistance	1	2	3	4	
Puncture resistance	1	2	3	4	
Burning behavior	1	2	3	4	
Dexterity	1	2	3	4	5

Available sizes	7	8	9	10	11	12
-----------------	---	---	---	----	----	----

Available colors	1200
------------------	------



BOXER® · Art. 548 418

as art. No. 548 417 without “Feuerwehr” imprint (not shown)



HADES

Art. 603 400-0

Outside: 100% polyethylene (Dyneema®) fine knit

Palm: polyurethane coating

Equipment: knitted cuff cuff, seamless, very good fit, breathable, wearable on one side, palm with polyurethane coating



DIN EN 388:2016 CAT II

Abrasion resistance	1	2	3	4	
Cut resistance	1	2	3	4	
Tear resistance	1	2	3	4	
Puncture resistance	1	2	3	4	
Dexterity	1	2	3	4	5
Available sizes	7	8	9	10	11
Available colors	1000				



MONTY

Art. 603 600-0

Outside: 100% polyethylene (Dyneema®) fine knit

Palm: Latex coating

Equipment: the special fibre guarantees improved cut resistance with an excellent tactile feel and perfect fit. Hand surface with very firm grip and blue latex coating, TOP skid resistance. Particularly suitable for precision working.



EN 388:2003 CAT II

Abrasion resistance	1	2	3	4	
Cut resistance	1	2	3	4	5
Tear resistance	1	2	3	4	
Puncture resistance	1	2	3	4	
Dexterity	1	2	3	4	5
Available sizes	7	8	9	10	11
Available colors	1500				



PROTECT 5

Art. 603 700-0

Outside: 100% polyethylene (Dyneema®) fine knit

Palm: nitril coating

Equipment: the special fibre guarantees improved cut resistance with an excellent tactile feel and perfect fit. Hand surface with very firm grip and black nitril coating coating, TOP skid resistance. Particularly suitable for precision working.



EN 388:2016+A1:2018 CAT II

Abrasion resistance	1	2	3	4		
Cut resistance DIN EN ISO 13997	1	2	3	4	5	
Tear resistance	1	2	3	4		
Puncture resistance	1	2	3	4		
Dexterity	1	2	3	4	5	
Available sizes	7	8	9	10	11	12
Available colors	1500					



POLICE PROTECTION

Art. 604 019-0

Flame-retardant gloves for safety protection and for general police forces.

Upper hand: high quality goat leather, flame retardant, thickness 0.9 mm.

Palm: digital leather flame retardant, leather thickness 0,7 mm.

Lining: black doubleface knitwear made of spinneret-dyed kevlar and polyglass, high feel, very high cut protection, non-marking when worn.

Indexfinger: black interlock knitted fabric, 100% para-aramid, cut resistant and flame resistant.

Protectors: knuckle protectors on back hand shaped anatomical. Gel protectors at wrist and finger joints.



DIN EN 388:2016 CAT II



EN 407 CAT III

Abrasion resistance	1	2	3	4	
Cut resistance	1	2	3	4	5
Tear resistance	1	2	3	4	
Puncture resistance	1	2	3	4	
Burning behavior	1	2	3	4	
Dexterity	1	2	3	4	5

Available sizes XS S M L XL XXL

Available colors 1999



POLICE PERFORMER

Art. 604 009-0

Palm: digital leather flame retardant, leather thickness approx. 0,7 mm.

Back of the hand, protectors, adjustment straps, fingertips:

Goat nappa leather, leather thickness approx. 0.9 mm.

Inner Lining: Interlock knitted fabric, 100% aramid (Kevlar®)

Application: wrist adjustment strap, D-ring and hooks



DIN EN 388:2016 CAT II



EN 407 CAT III

Abrasion resistance	1	2	3	4	
Cut resistance	1	2	3	4	5
Tear resistance	1	2	3	4	
Puncture resistance	1	2	3	4	
Burning behavior	1	2	3	4	
Dexterity	1	2	3	4	5

Available sizes 6 – 13 half sizes also

Available colors 1999

POLICE DEFENDER

Art. 604 002-11

Palm, protectors, adjustment straps: Digital leather flame retardant, leather thickness 0.7 mm.

Back of the hand: Interlock knitted fabric made of 100% aramid (Kevlar®) with black silicone-carbon coating

Layering: Interlock knitted fabric made of 100% aramid (Kevlar®) with black silicone-carbon coating

Lining: interlock knitted fabric, 100% aramid (Kevlar®) Membrane: PU membrane, porelle, waterproof, windproof and optimally breathable, anatomical

Application: Adjustment straps on wrist and cuff, D-ring and hooks



DIN EN 388:2016 CAT II



EN 407 CAT III

Abrasion resistance	1	2	3	4	
Cut resistance	1	2	3	4	5
Tear resistance	1	2	3	4	
Puncture resistance	1	2	3	4	
Burning behavior	1	2	3	4	
Dexterity	1	2	3	4	5

Available sizes 6 – 13 half sizes also

Available colors 1999



Maschinenwaschbar bei 30°C
(geprüft 5 Zyklen)

Gloves for security and security services for scanning and searching with high protection and good touch.
Minimum order quantities and delivery times on request.

LEATHER GLOVES

Art. 604 015-0

5-finger soft goat leather gloves with warm lining and width regulation for men and women. Hem edge regulation with inserted wedge. Flexible width adjustment in the wrist area Latch and 2-way adjustable push button closure.

Outer shell: soft, durable goatskin, aniline dyed

Inner lining: warming, climate-regulating fur made of Polyester

Available sizes	7	7,5	8	8,5	9	9,5	10	10,5	11
-----------------	---	-----	---	-----	---	-----	----	------	----

Available colors	1999
------------------	------



SEARCH GLOVE

Art. 604 004-0

Inner hand/palm: 100% fine aniline leather, water-repellent, washable, thickness 0.8 mm.

Back of hand/cuff: 100% fine aniline leather, water-repellent, washable, thickness 0.8 mm.

Lining: 42% high-strength polyethylene, 26% polycotton, 21% polyester, 11% fiberglass. Form-knitted inner lining without interfering seams and high wearing comfort, highest cut protection class. Knitted for any size.



Abrasion resistance	1	2	3	4	
Cut resistance	1	2	3	4	5
Tear resistance	1	2	3	4	leather
Tear resistance	1	2	3	4	inner lining
Puncture resistance	1	2	3	4	
Dexterity	1	2	3	4	5

Available sizes	2XS	XS	S	M	L	XL	2XL	3XL
-----------------	-----	----	---	---	---	----	-----	-----

Available colors	1999
------------------	------



Gloves for security and security services for scanning and searching with high protection and good touch.
Minimum order quantities and delivery times on request.



In the shirt are
COOLING PILLOWS

COMBAT SHIRT

Art. 610 003-0

COMBAT SHIRT WITH COOLING EFFECT

Long sleeve Combat Shirt is due to the used technologies offering each user first class temperature and moisture management. It dries super fast and is antibacterial treated. With additional cooling possibilities and anti cut properties it is unique on the market. Also possible to get as Fireretardant version.

Available sizes	XS	S	M	L	XL	2XL	3XL	4XL	5XL
-----------------	----	---	---	---	----	-----	-----	-----	-----

Available colors	4500
------------------	------



The cooling effect lasts over 12 hours.

If the removable pillows are soaked in water / liquid, the effect is active again. The product helps to maintain normal body temperature, which is fundamental for a high physical performance.



Cooling pillows

To activate cooling, pour 0.5 dl of water over it. Then put it in the shoulder bag to keep it to activate. If no cooling is needed, remove it or wear the shirt dry.

- ① Turn the shirt from the inside to the outside



- ② Take the cooling pads out or lay it into it.



MILITARY

Art. 603 554-0

Description: synthetic leather glove with nylon/spandex back, CAT I

Equipment: knobs-coating made of silicon, knuckle protection

Available colour: green/camouflage

Available sizes	8	9	10	11
-----------------	---	---	----	----

Available colors	4500
------------------	------

SHIRT WITH BALLISTIC & STAB PROTECTION

Art. 610 002-0

SHIRT WITH BALLISTIC AND STAB PROTECTION

Covert shirt for concealed wearing. Due to the special technologies used, it offers thermoregulation, best moisture control and moving performance. Also without protection inlays it offers partly anti cut protection by ASTM F 1790 Level 1.

With added cooling pads it is offering more than 3° C lower temperature at the skin, to any other Coolmax or similar solution already after 30 min of use. Used at police forces of more EU countries already.

Available sizes	2XS	XS	S	M	L	XL	2XL	3XL	4XL	5XL
-----------------	-----	----	---	---	---	----	-----	-----	-----	-----

Available colors	1000	1999	2400
------------------	------	------	------



back



TACTICAL WEST with protectors, bulletproof

Art. 610 001-10

TACTICAL VEST ALSO USED AS A PLATE CARRIER.

Tactical vest also used as a plate carrier. Vest is made of strong 4 layers Cordura with laser cut Molle system. Adjustable in all directions. With space for soft ballistic protection + hard plates 25x30cm (front and back).

Vest is made from abrasion and water resistant Cordura with 3D mesh for maximum airflow around the body. With or without side overlap.

Possible protection: SK1+ NIJ0115,00 18J stab

Available sizes	2XS	XS	S	M	L	XL	2XL	3XL	4XL	5XL
-----------------	-----	----	---	---	---	----	-----	-----	-----	-----

Available colors	1999
------------------	------



back




TACTICAL WEST, PUNCTURE RESISTANT

Art.-Nr. 610 001-0

Fire Fighting Helmets





1. Lightweight and durable injection-moulded shell, available in all colours (including photoluminescent and metalized), fitted with reflective tape as standard. Optionally, the helmet can be customised by adding functional distinctions and fire brigade insignia.

2. Face shield - optical class 1 visor, retractable inside the helmet, can be supplied with anti-scratch and/or anti-fog coating, gold filtered to protect against infrared radiation or transparent (optional). A choice of a profiled or non-profiled visor, adapted for people wearing corrective glasses; visor shape allows it to be used together with a breathing mask.

3. Comfortable and soft helmet inner optionally with aramid fabric lining to ensure wear comfort and protect the head from abrasion. Easy to maintain, removable, washable and disinfectable.

4. Retractable eye shield - optical class 1 goggles to protect the eyes against solid objects and liquids during rescue operations. Tinted and clear versions available.

5. Goggles can be lowered and raised using levers on both sides of the helmet without removing gloves.

6. Detachable soft silicone chinstrap and chinstrap system (no tools required).

7. Unified universal breathing mask and torch anchoring points. Top torch anchoring point retains full torch position angle adjustment range even with a breathing mask attached.

8. Inner height and circumference (47 to 68 cm) can be adjusted quickly in gloved hands without the need to remove the helmet for tailor-made fit and stability. Individual components can be easily removed for replacement, washing and disinfection. using a meta-aramid fabric OS6V – short double-layer

9. Neck protector resistant to heat radiation and flames, made of fire retardant materials:

- ▶ OS1V – Neck guard short, wool
- ▶ OS2V – Neck guard long, wool
- ▶ OS3V – Neck guard short, leather
- ▶ OS4V – Neck guard short, metallized
- ▶ OS5V – Neck guard short, double-layered aramid, metallized
- ▶ OS6V – Neck guard, short, made of aramid

*optional accessories s. VULCAN Typ A + B



Fire Fighting Helmets VULCAN NEO

Art. 977618-0

Excellent protection, use convenience and design.

Shell provides impact and penetration protection as well as lateral crushing protection.

Complete protection in low (-40°C) and high temperatures.

Flame (tested at 1000°C) and heat resistant.

Electrical properties acc. to the EN 50365:200 standard and selected items of the EN 443:2008 standard.

Resistance to molten metals and hot solids.

Top quality face and eyes protection:

- ▶ category 3 face protection
- ▶ class 1 optical protection

Tests within the scope of the following standards:

- ▶ Resistance to high temperatures, liquid chemicals, flame and heat radiation,
- ▶ highest optical radiation protection (IR 4-3; UV 2C-1,2; UV 2-4; UV 5-3,1),
- ▶ protection against high speed particles in extreme temperatures, molten metals and hot solids,
- ▶ resistance to drops and liquid splashes,
- ▶ resistance to coarse dust particles, gasses and fine dust particles,
- ▶ protection against short-circuit arcs,
- ▶ E1, E2, E3 electrical properties,
- ▶ side protection,
- ▶ face shield resistant to surface damage by fine particles,
- ▶ anti-fog and/or anti-scratch face shield.



Fire fighting helmet CALISIA VULCAN CV 102 TYP B full shell

Art. 977 613-0


The helmet for fire fighters CALISIA VULCAN CV 102 type B is designed and produced in accordance with the requirements included in the Directive 89/686/EEC and the standard EN 443:2008. The helmet is designed to be used in fire rescue operations and every other work done by firefighters.

Standard equipment:

- ▶ gold visor which can be hidden inside
- ▶ short face protector - goggles
- ▶ short neck protector made of flame resistant material type OS1
- ▶ communication system holder
- ▶ multifunctional holder for the breathing mask and the torch
- ▶ interior made of natural leather with set of cushions and Aramid (Nomex®) padding
- ▶ head circumference regulation system 54-62 cm optional 51-65 cm
- ▶ regulation system of the height of wearing
- ▶ reflective elements



individual design
with clear visor



1. Lightweight and durable injection-moulded shell.
2. Face shield – optical class 1 visor.
3. Comfortable and soft helmet inner.
4. Retractable eye shield.
5. Goggles can be lowered and raised using levers on both sides.
6. Soft silicone chin strap.
7. Unified universal breathing mask and torch anchoring points.
8. Inner height and circumference (47 to 68 cm).
9. Neck protector.

Available colors for helmet CV 102, Typ B

- | | |
|-----------|--|
| 977 613-0 | RAL-standard colour, with clear visor |
| 977 613-1 | RAL-standard colour, with golden visor |
| 977 613-2 | photoluminescent, with clear visor |
| 977 613-3 | photoluminescent, with golden visor |
| 977 613-4 | chrome-coated, with clear visor |
| 977 613-5 | chrome-coated, with golden visor |

Optional equipment

- | | |
|----------|--|
| 977111-0 | OS1V – Neck guard short, wool |
| 977101-0 | OS2V – Neck guard long, wool |
| 977103-0 | OS3V – Neck guard short, leather |
| 977112-0 | OS4V – Neck guard short, metallized |
| 977100-0 | OS5V – Neck guard short, double-layered aramid, metallized |
| 977098-0 | OS6V – Neck guard, short, made of aramid |
| 977102-0 | Replacement visor, outside, clear |
| 977102-1 | Replacement visor, outside, gold |
| 977102-2 | Replacement visor, inside, clear |
| 977104-0 | Flashlight holder set |
| 977105-0 | Flashlight Iskra (CV102 & CV103) |
| 977110-0 | Helmet bag |
| 977118-0 | Flashlight (VULCAN NEO) |

Certification: Evaluation Certificat EC type no. WE/S/2187/2014 Standard, EN 443:2008, EN 166:2001, EN 14458:2004, EN 171:2002

Basic parameters: E2 E3***C

Weight: 1570g +/- 40g



PELI® and Streamlight® torch



Neck protector OS1



Neck protector OS2



Neck protector OS3



Neck protector OS4 & OS5



Fire fighting helmet CALISIA VULCAN CV 103 TYP A half shell

Art. 977 615-0

The Calisia Vulcan helmet for firefighters has been designed with the growing demands and needs of firefighters in mind.

Calisia Vulcan type CV 103 is a type A helmet – it is light and provides very good ventilation. The helmet meets the requirements of the EN 443:2008 standard, as confirmed by the type EC type certificate issued by the CIOP-PIB (Central Institute for Labor Protection – National Research Institute, notified body No. 1437).

- ▶ **Standard equipment:** the same as helmet type CV 102
- ▶ **Except face protecting:** protecting visor clear, without short face protector (goggles)

Available colors for helmet CV 103, Typ A

977 615-0	RAL-standard colour, with clear visor
977 615-1	RAL-standard colour, with golden visor
977 615-2	photoluminescent, with clear visor
977 615-3	photoluminescent, with golden visor
977 615-4	chrome-coated, with clear visor
977 615-5	chrome-coated, with golden visor

Certification: Evaluation Certificat type EC No. EC/S/2412/2015

EN 443:2008, EN 166:2001, EN 14458:2004

Basic parameters: E2 E3***C

Weight: 1300g +/- 40 g

colour: chrome-coated,
with golden visor





Helmet for wildland firefighting, mountaineering and water rescue operations TYTAN MAX 102.00

Art. 977 617-0

Firefighting helmet TYTAN MAX HTM 102 belongs to protective equipment class III and fulfils four protective standards for safety helmets. It is used for firefighting in non-industrial areas (forests and meadows), as well as for technical assistance and traffic accidents.

The firefighting helmet is multifunctional, lightweight and ventilated.

Safety in extreme conditions

- ▶ Complete protection in low and high temperatures (-20°C ÷ +50°C).
- ▶ penetration resistance: steel ball 120 m/s.
- ▶ resistance to lateral crushing,
- ▶ resistance to liquid chemicals and hot solids.
- ▶ protection against brief contact with electrical cables (VC up to 440 V).
- ▶ All exterior helmet elements as well as chin straps are fire retardant.

Standard equipment:

- ▶ Additional accessories: headtorch socket and communication system anchoring points.
- ▶ Clear face shield.
- ▶ Universal breathing mask and torch anchoring points. Torch anchoring point retains full torch position angle range even with a breathing mask attached.
- ▶ Attachments for ear protectors and protective mesh.
- ▶ Three-point chin strap with a buckle.
- ▶ Short non-flammable fabric neck protector.

Lieferbar mit Polsterung und Nomex® Innenbelag für besseren Tragekomfort

Available in different colours



Optional accessories for TYTAN series fire helmets:

- | | |
|-----------|------------------------|
| 977 106-0 | hearing protectors |
| 977 107-0 | protective goggles |
| 977 108-0 | holder for torch/mask |
| 977 109-0 | net visor |
| 977 110-0 | helmet bag black |
| 977 102-0 | changeable visor clear |

Certification: Certificate of EC type examination
No. DPI/0497/1125

Compliance with standards: EN 16 471: 2014
Firefighters helmets. Helmets for wildland firefighting.
EN 16 473: 2014 Firefighters helmets. Helmets for
technical rescue.

EN 12492:2012 Mountaineering equipment. Helmets for
mountaineers. Safety requirements and test methods.
EN 397: 2012 Industrial safety helmets – points 5.1.1 ;
5.1.2 ; and 5.2.1.

EN 443: 2008 Helmets for firefighting in buildings and
other structures – points 5.13.

EN 1385:2012 Helmets for canoeing and white water
sports

Weight: 760 g +/- 30 g

Size: 47 – 68







ROBIN HOOD

Art. 977 611-0

Forest Worker's Protective Helmet in accordance with DIN EN 397. Equipment: ear protection in accordance with DIN EN 352, face protection in accordance with Din EN 1731 (face protection made of polyethylene with steel net)

Available sizes	Einheitsgröße
Available colors	5800

KLASSIK Chaps Shape A

Art. 664 010-0

Equipment: cut protection insert shape A, rear zip, elastic belt and buckle, cut protection PES/PP, CAT III

KLASSIK Chaps Shape C

Art. 664 010-51 (no fig.)

as art. Art. 664 010-0 with all-around cut protection shape C

Available sizes	Einheitsgröße III 52/54
Available colors	4700



KLASSIK

Forest Workers Jacket · Art. 664 033-0

KWF-tested (K-EG-2006/4361, K-EG-4389/5780)

Equipment: without cut protection insert, cord inner collar, 3 rear ventilation slits, net fabric insert in the rear back area, extended back section, 1 concealed breast pocket front left with zip, 2 flap pockets on the front, 1 sleeve mobile phone pocket on the left with velcro fastener, sleeves with internal knit cuff and rubber band on the arm closure as dirt and mechanical tick protection.

Cut-Resistant Trousers Shape A · Art. 664 023-0

in accordance with EN 381-5 Class 1, KWF-tested (K-EG-2006/4361, K-EG-4389/5780), 9-layers cut protection PES/PP. Equipment: cut protection insert, 2 attached side pockets, 1 folding rule pocket, 1 hip pocket with velcro fastener, 2 rear ventilation zips, elastic gusset, with orange wedge on the legs.

Cut-Resistant Dungarees Shape A · Art. 664 013-0

in accordance with EN 381-5 Class 1, KWF-tested (K-EG-2006/4361, K-EG-4389/5780), 9-layers cut protection PES/PP. Equipment: cut protection insert, 1 bib pocket with zip, 2 attached side pockets, 1 folding rule pocket, 1 hip pocket with velcro fastener, 2 rear ventilation zips, elastic gusset, with orange wedge on the legs

Cut-Resistant Dungarees Shape C · Art. 664 016-0

as art. 664 013-0, with all-around cut protection Shape C

Available sizes	42-66	24-32	90-114
Available colors	7451		

Cut-Resistant Trousers Shape A

Art. 664 025-0*

Equipment: cut protection insert, 2 rear ventilation zips, elastic gusset, 2 attached side pockets, 1 folding rule pocket, 1 hip pocket with velcro fastener, with bright yellow wedge on the legs, mechanical tick protection through elastic strap and velcro closure, kidney protection on the back pants

Comfort Stretch:

- ▶ in accordance to EN 381-5 class 1, CAT III
- ▶ 5-layers elastic cut-protection PP/PES

Available sizes 46-62

Available colors 2401



COMFORT STRETCH Chaps Shape A

Art. 664 010-0*

Available sizes:

standard size III 52/54

Equipment: cut protection insert shape A, rear zip, elastic belt and buckle, cut protection PES/PP, CAT III

Available colors 2401



SOFTSHELL-JACKET

Art. 864 310-0*

Outer material: 94% polyester, 6% spandex, TPU membrane

Inner material: 100% polyester fleece

Equipment: windproof and waterproof, breathable and water vapour permeability, 2 front pockets, 1 breast pocket, thumbholes

Available sizes S-3XL

Available colors 5002 5998



Super fleece jacket

Art. 864 313-0*

100% polyester polar fleece. Equipment: anti-peeling, olive outside/ yellow inside, sleeves and waistband with built-in elastic, 2 pockets, comfortable to wear and ideal for especially cold days

Available sizes S-3XL

Available colors 7452



LUXOR pilot jackets

Art. 862 513-0*

Pilot jacket 3 in 1, 60% cotton/ 40% polyamide, acrylic woven fur lining 70% polyacrylic/30% polyester
Equipment: with removable lining and removable sleeves sleeves, 2 breast pockets, 2 insertion pockets, 1 inside pocket, lined cuffs, BEAVER-NYLON version

Available sizes S-3XL

Available colors 1000 2900 4500 6400





HANS SCHÄFER
Workwear

PROFESSIONAL trousers

Art. 671 255-0

Developed by go-getters for go-getters Hans Schäfer Professional durable – tough and practical at the same time Material 58% cotton 39% polyester 3 % stretch fabric Suitable for industrial wash cycles 60°C Perfect wearing comfort 2-way stretch panel in crotch and waistband. Plenty of storage space thanks to well thought-out pocket management More than 10 pockets plus knee pad pockets

Available sizes 46-66-24-30

Can be easily extended for long sizes

Available colors 9005 9150



Women's trousers

Art.- Nr. 671 258-0

in all colours, Sizes 34-46



PROFESSIONAL Dungarees

Art. 673 155-0

Not just dungarees but dungarees with comfort Durable, tough and super comfortable Material 58% cotton 39% polyester 3% stretch fabric Suitable for industrial wash cycles 60°C 2-way stretch panel in crotch and waistband Plenty of storage space thanks to well thought-out pocket management More than 12 pockets plus knee pad pockets.

Available sizes 46-66-24-30

Available colors 9005 9150



PROFESSIONAL jacket

• Art. 671 155-0

Comfort through 2-way stretch elastic waistband Reflective piping 4 outside pockets 2 inside pockets.

Available sizes 48 bis 66

Available colors 9005 9150



HANS SCHÄFER WORKWEAR

The clothing for real workers

Clever - tough - authentic!

SMART trousers

Art. 671 256-0

Clever – Tough and dependable
Our SMART trousers made of tough stretch material for daily use 47% cotton 31% polyester 22% Coolmax Lycra 250 g. Comfort PURE 4-way stretch panel in crotch and elastic waistband, Ventilation pockets on the zipper Practical pocket solutions for everything that is needed. Also a comfortable fit for hobby and leisure activities.

Available sizes	44-62/24-29	
Available colors	9005	9150
	9650	9050



SMART Women's trousers

Art. 671 257-0

in all colours, Sizes 34-46
(same as figure above)

KNEE PADS

Art. 666 668-1

Sizes 240 x 185 x 17 mm, DIN EN 14404



SMART Shorts

Art. 671 259-0

in all colours, Sizes 44-62



SMART Softshell jacket

Art. 671 156-0

Tough softshell material 8000 mm water column Comfortable fleece inside 3 outside pockets 2 inside pockets Extended back.

Available sizes	XS-4XL		
Available colors	9005	9072	9050



Full cowhide leather gloves

askö POWER · Art. 502 023-0

Full cowhide leather gloves, according to DIN EN 388:1994 CAT II

Equipment: canvas cuff, back and cuff white drell, lined, cotton back, double stitching.

Packing unit: 12 pairs

Available sizes	10
Available colors	1500



askö MAGIC · Art. 509 623-0

Full cowhide leather gloves, according to DIN EN 388:1994 CAT II

Equipment: rubberized cuff, back and cuff white drell, lined, cotton back, index finger completely made of leather

Packing unit: 12 pair

Available sizes	10,5
Available colors	1500



askö WOOD · Art. 509 630-0*

Full cowhide leather gloves according to DIN EN 388:1994 CAT II, knitted cuff

Features: back hand and knitted cuff made of polyester fabric, inner lining, thumb and index finger entirely made of leather

Available sizes	8 10 12
Available colors	5800



askö BLUE PU · Art. 504 635-0*

Cowhide full leather gloves, with polyurethane coating, CAT I

Equipment: rubberized cuff, back and cuff made of white drell, cotton back, index finger entirely made of cow split leather

Packing unit: 12 pairs

Available sizes	10
Available colors	2400



askö NIETEN FAUSTER right · Art. 244 705-0*

askö NIETEN FAUSTER left · Art.. 244 707-0*

Cowhide/split leather gloves, CAT I

Features: full leather trim, can be worn only on one side, trim completely reinforced with rivets, 28 cm long

Application areas: Metal plants, steel and aluminum foundries, iron and steel industry, shipping

Available sizes	one size
Available colors	1500

askö TRITON · Art.603 100-0

Nylon fine knit gloves with polyurethane coating, according to EN 388 CAT I, 100% polyamide

Features: knit cuff, seamless, very good fit, breathable, can only be worn on one side, palm with polyurethane coating.

Packaging unit: 12 pair



Available sizes	6	7	8	9	10	11
Available colors	1000					

askö CALYPSO · Art. 603 201-0

Nylon fine knit gloves with polyurethane coating, according to EN 388 CAT I, 100% polyamide

Features: knit cuff, seamless, very good fit, breathable, can only be worn on one side, palm with polyurethane coating. Areas of application: Automotive industry, car body construction, sheet metal and glass processing, paper industry for all activities, that require good dexterity.

Packaging unit: 12 pair



Available sizes	7	8	9	10	11
Available colors	1800				

SENSITIVE · Art. 603 202-0

Outer hand: 93% nylon and 7% lycra

Palm: 85% nitrile and 15% PU

Cuff: 93% nylon and 7% lycra

Fine knit glove with nitrile and PU coating. The glove has an excellent tactile feel and grants an optimal fit. Very secure grip handfläche due to the nitrile coating with excel excellent properties.

Packaging unit: 12 pair



Available sizes	6	7	8	9	10
Available colors	1500				

askö Cotton Jersey Gloves

Art. 576 915-0

According to CE CAT I
100% cotton

Equipment: bleached, wearable on both sides 25 cm long, layered, breathable

Packaging unit: 12 pair



Available sizes	6	7	8	9	10	11
Available colors	1000					

askö MONTAGE · Art. 555 555-0

Nitrile gloves, according to EN 388 CAT II

Features: knit cuff, good abrasion resistance, good sense of touch, very flexible back of the hand partly coated.

Packaging unit: 12 pairs



Available sizes	6	7	8	9	10	11
Available colors	5200					

askö GAMMA · Art. 550 015-0

Nitrile gloves, according to EN 388

Equipment: canvas cuff, good abrasion resistance, good sense of touch, very flexible, back of the hand completely coated

Packaging unit: 12 pairs



Available sizes	10
Available colors	2400

Work wear MAGIC & SMANTEX

MAGIC Blouson jacket · Art. 681 148-0

Features: long form, 2 breast pockets with flap and concealed press studs, 2 large welt pockets, 1 inside breast pocket, concealed plastic zipper, additionally closable with Velcro, cell phone pocket on the left sleeve, 2 stretch pleats in the back, adjustable cuffs, adjustable waistband

Available sizes S-2XL

Available colors 7221 7151

MAGIC Trousers · Art. 681 248-0

Features: integrated elastic waistband, 2 integrated pockets, metal zipper in the fly, 2 reinforced back po-ckets, one of them with flap and velcro, 1 cargo pocket, double folding rule pocket with integrated cell pho-ne pocket on the right leg, knee pockets for insertion pads, shrink-proof according to DIN EN 26330.

Available sizes 42-64 24-29 90-110

Available colors 7221 7151

MAGIC Dungarees · Art. 683 148-0

According to DIN 61512.

Equipment: breast bib pocket with concealed metal zipper, additional patch bib pocket closable with flap and Velcro, separate pen pocket, security pocket in the inner bib, Clippy quick fastener, elastic bib straps, waistband width adjustable with 2 jeans buttons on each side, waist size adjustable by elastic waistband, 2 integrated pockets, knee pockets for insertion pads, metal zip-per in the fly, 2 reinforced back pockets with flap and Velcro, 1 cargo pocket, 1 inside eyeglass pocket, dou-ble folding rule pocket with integrated cell phone pocket on the right leg.

Available sizes 42-64 24-29 90-110

Available colors 7221 7151



MAGIC:

- ▶ Workwear, 260 g/m²
- ▶ 60% polyester/40% cotton
- ▶ twill

1 cargo pocket, double folding rule pocket with integrated cell phone pocket on the right leg

MAGIC Insertion pads · Art.. 666 668-0

Available colors 1500



SMANTEX High visibility jacket

Art. 891 435-0*

With lining, 80% polyester/20% polyurethane

Features: removable polyester polar fleece lining, Hood in collar, reflex strip, waterproof, breathable, rain gutter, drawstring, 2 large pockets with flap and velcro, concealed zipper with press studs

SMANTEX Trousers · Art.. 891 135-0*

According to EN 471 with elastic band, 80% polyester/20% polyurethane

Equipment: unlined, reflex strip, waterproof, front 2 pockets with Velcro closure, 1 folding rule pocket, elastic waistband, width adjustment by drawstring, adjustable trouser width at the leg end

Available sizes jacket S-3XL

Available sizes trousers S-2XL

Available colors 5998

*while stocks last

SMANTEX high-visibility jacket

Art.891 336-0*

According to EN 471, with detachable inner lining
80% polyester/20% polyurethane

Features: hood in collar, silver reflex strip, waterproof, breathable, rain gutter, drawstring, 2 large welt pockets with flap and velcro, zipper and snap closure. Red waistband and sleeve cuffs.

Available sizes XS-3XL

Available colors 5002 3200



High-visibility fleece jacket

Art. 695 44-0*

With zipper, according to EN 471, 100% polyester

Features: collar and lower third dark blue, reflex stripes silver, sleeves detachable, comfortable to wear and ideal for especially cold days.

Available sizes S-3XL

Available colors 5999



askö SOFT PU jacket · Art. 891 243-0*

Polyurethane, lining separable, reflex strip,
2 large pockets, Velcro closure, concealed buttonfleiste, with hood



Available sizes S-4XL

Available colors 5001 5998 5999 5011

SOFT-PU High-visibility dungarees · Art. 891 023-0*

According to EN 471, 100% polyurethane

Equipment: breast bib pocket, bib straps with short, strong elastic, waistband width on the side adjustable with 1 button, 2 welt pockets, buttoned fly, 1 folding rule pocket, reflex stripes



Available sizes S-4XL

Available colors 5001 5998

*while stocks last

Welding protective clothing & disposable protection

Welder dungarees

Art.. 786 013-0*

100% cowhide full leather

Features: stand-up collar, 1 inside pocket, 1 breast pocket, concealed buttonfleiste

Welder jacket

Art. 787 013-0*

100% full cow leather

Equipment: pocket pass-throughs, folding rule pocket, 1 back pocket

Available sizes 46-64

Available colors 1200



WOODSMAN BIS A E P FO WRU SRC

Art. 901 644-0

Standard: EN ISO 17249:2013

Shaft: water-repellent embossed leather with cut protection

Outer lining: Artificial and breathable material

Inner lining: TEXELLE, 100% polyamide, breathable, moisture absorption and release, abrasion resistant.

Footbed: anatomical, antistatic and perforated AIR footbed made of EVA and fabric. Thanks to its anatomical shape, it provides optimal support

Sole: duo polyurethane

Cap: steel cap with 200 J toe protection

Anti-puncture midsole: APT PLATE - Zero Perforation, non-metallic.

Width: 11 Mondopoint

Plus: shoes with cut protection for chainsaw work

Additional technical features: cut protection for chainsaw work

Available sizes 40-47 (EU) 6½-12 (UK)

Available colors 1999



SAFETY RUBBER BOOTS

Art. 901 633-0

According to EN 345-2 SB Class 2

Equipment: steel toe cap, cut protection insert of resistance class 2 against chain saws (24 m/s chain speed), luminous reflex marking, no steel midsole.

Fields of application: suitable for forest protection and work with power saw

Available sizes 40-47

Available colors 7451



*while stocks last

SAFETY HALF SHOES S3

Art. 901 781-0 & Art. 901 791-0

Made from durable full grain cowhide leather

Features: waterproof upper, antistatic, heel energy absorption, anti-slip sole, anti-puncture steel sole, oil and gasoline resistant sole, steel toe cap, breathable upper.

Available sizes	39-47
Lieferbare Farben	1999

Art. 901 781-0



Art. 901 791-0

PVC SAFETY BOOTS S5

Art. 900 041-0

PHthalate-FREE

Norm: EN ISO 20344-1:2011 & EN ISO 20345-1:2011

Material: PVC without phthalates

steel cap, steel midsole, slip-resistant sole (SRA), antistatic sole, flexible down to -10 °C, low weight (approx. 2.3 kg for size 42)

Available colors	1999	5200
------------------	------	------



PVC OCCUPATIONAL BOOTS

Art. 900 011-0

According to EN 347 04, polyvenyl chloride

Shaft height: 38 cm

Available sizes	37-48
Available colors	1999
	4500



**askö
BASEBALLCAP**

Art. 977 905-0



**askö
BACKPACK**

Art. 977 909-0



**askö
SAMPLE BAG**

Art. 977 901-0



**askö
DOCUMENT
BAG**

Art. 977 912-0



**askö
CARRY BAG**

Art. 977 911-0



**askö
LED-TORCH**

Art. 977 910-0



**askö
CARABINER
HOOK**

Art. 977 902-0



**askö
GLOVE HOLDER**

black:
Art. 977932-0-1999



red:
Art. 977932-0-3200



yellow:
Art. 977932-0-5200

Individual clothing

ROUND-T-HEAVYT-SHIRT

Art. 380 011-0

with round collar

100% combed ring spun cotton, 180 g/m²

Available colour: white, black, dark green, royal, navy, red, dark grey (special colours on request)

Available sizes

S – 2XL

Individual Merchandising for your appearance:

we print, embroider or patch our clothing – please contact us!



POLO-PIQUET SHIRT · Art. 380 012-0

with polo collar

60% ring spun cotton/40% polyester, weight of the fabric: 200-210 g/m²

Available colour: white, black, dark green, royal, navy, red, grey (special colours on request)

Available sizes

S – 2XL

POLO-PIQUET SHIRT POCKET

Art. 380 015-0

with breast pocket,
as art. No. 380 012-0



SWEATSHIRT SET-IN B&C

Art. 380 014-0

with round collar

80% combed ring spun cotton/ 20% polyester,
260 g/m²

Available colour: black, green, navy, red, white

Available sizes

S – 2XL




Conversion sizing chart for gloves

German size	6	7	8	9	10	11	12
International size	XS	S	M	L	XL	XXL	XXXL

Conversion Size Chart for Clothing


clothing size	40/42	44/46	48/50	52/54	56/58	60/62	64/66	68/70
Unisex size	XS	S	M	L	XL	XXL	XXXL	XXXXL
International size	–	0	1	2	3	4	5	6



Normal sizes	42	44	46	48	50	52	54	56	58	60	62	64	66	68	70	72	74
height (cm)	164	168	171	174	177	180	182	184	186	187	188	190	192	192	193	193	193
chest (cm)	84	88	92	96	100	104	108	112	116	120	124	130	136	142	146	150	154
waist (cm)	72	76	80	84	88	92	98	102	108	112	118	124	130	134	138	142	146
leg length (cm)	74	75	77	79	80	81	82	83	84	85	85	86	86	86	87	87	87
front arm length (cm)	42	43	44	45	46	47	48	49	49	50	51	51	52	55	55	55	56


Slim sizes	90	94	98	102	106	110
height (cm)	178	181	184	187	189	191
chest (cm)	88	92	96	100	104	108
waist (cm)	76	80	84	88	92	98
leg length (cm)	81	83	85	86	87	88
front arm length (cm)	47	48	49	50	50	51

Untersetzte Größen	24	25	26	27	28	29	30
height (cm)	168	171	174	177	180	183	186
chest (cm)	96	100	104	108	112	116	120
waist (cm)	84	88	92	98	104	108	112
leg length (cm)	75	76	77	78	79	80	81
front arm length (cm)	45	46	46	47	47	47	47



Know Your Size!

Length hand	Size glove	
226 mm	280 mm	12 (XXXL)
215 mm	270 mm	11 (XXL)
204 mm	260 mm	10 (XL)
192 mm	250 mm	9 (L)
182 mm	240 mm	8 (M)
171 mm	230 mm	7 (S)
160 mm	220 mm	6 (XS)



Laying on here



www.askoe-online.de



askö GmbH · innovative Schutzausrüstung
Adolph-Kolping-Straße 6 · D-72393 Burladingen
Phone +49 (0)7475 95000-0 · Telefax +49 (0)7475 95000-29
info@askoe-online.de · www.askoe-online.de

Unsere
starken
Marken:

